Use of Passive Soil Gas Sampling Devices to Delineate VOC and TPH Impacts in Groundwater – a Case Study

47th Annual
Environmental Show of the South
May 16-18, 2018



Prepared by:



Sponsored by:



Outline

- Introduction and Background
- Use of PSG field investigation techniques and results
- Rough cost comparison between PSG and traditional well installation
- Summary and conclusions



Introduction


- 31st Street Landfill closed site in northern Illinois
- Recently developed as a private golf club






Introduction

INFORMATION



- Bordered on west & east by residential and commercial
- Bordered on north & south by public golf courses and cemetery





Landfill History

- Refuse disposal from the 1930s until about 1982;
 C&D disposal until about 1986.
- VOC contamination in GW due to landfill gas; Site listed on State Site Remedial Action Plan List (SRAPL).
- GCCS installed as remedial measure in 1999.
- Golf course development in 2010.



































South of 31st Street






Typical NE Illinois Geology

GEOLOGY OF THE CHICAGO AREA

Time Stratig.			Rock Stratigraphy			GRAPHIC	Thickness		
E CO	SERVED IN	STAN	MEGA- GROUP	GROUP	FORMATION	COLUMN	(Feet)	KINDS OF ROCK	
QUAT.	PLEIS.			Witten or Wrighten	(See fig. 15)	000 000 000 000 000	0-350	Till, sand, gravel, silt, clay, peat, marl, loess	
PENN.	DESM.	7	Ke	Kewanee	Carbondale	5.755555555	0-125	Shale, sandstone, thin limestone, coal	
				Kewonee	Spoon	20022000000000	50-75	As above, but below No. 2 Coal	
55.	VAL.	VAL.			BurlKeokuk		0-700	Limestone	Only in Des Plaines Disturbance
	KIND.				Hannibal			Shale, siltstone	
DEV.	UP.				Grassy Creek		0-5	Shale in solution cavities in Silurian	
SILURIAN	EX. NIAGARAN		no		Racine	4/4/	0-300	Dolomite, pure in reefs; mostly silty, argillaceous, cherty between reefs	
					Waukesha	1444	0-30	Dolomite, even be	dded, slightly silty
		3	Hunton		Joliet Konkokee	-/0/-/-	40-60	Dolomite, shaly and red at base; white, silty, cherty above; pure at top	
		ALEA.	-			7,7,7,4	20-45	Dolomite; thin bed	s; green shale partings
	ALE				Edgewood	/a/a/a/a =/-/-/		Dolomite, cherty, shaly at base where thick	
			100	Maquoketa	Neda	9.5 6.5 6.5 6.5 F.	0-15	Oolite and shale, red	
	N.	RICH.			Brainard	Z	0-100	Shale, dolomitic, greenish gray	
					Ft. Atkinson	ĮĮ,	5-50	Dolomite, green shale, coarse limestone	




Site Hydrogeology (original model)






Example of Inconsistent Well Construction





VOC Anomalies









IEPA Requests Regulatory Status Change and GMZ

- Change in regulation from the remedial project section into the permit section.
- Establish a GMZ.
- Opportunity to revisit the accepted site geologic/hydrogeologic model.




New Investigations (task I)

 New monitoring wells and stratigraphic borings.




Top of Bedrock



ENVIRONMENTAL INFORMATION LOGISTICS. LLC

Groundwater Flow



LOGISTICS, LLC

New Investigations (task 2)

- Establish a GMZ.
- Alternative methods considered.



Beacon Environmental Services, Inc. (Beacon) Passive Soil Gas (PSG) System

(source: Beacon Environmental Services, Inc. website)

The "BESURE" Sample Collection KitTM






PSG Samplers (source: Beacon website)







GMZ Investigation









Investigation






Investigation






Results - Total VOCs






Results - TPH




ENVIRONMENTAL INFORMATION LOGISTICS. LLC

Investigation Results






Investigation Results





Investigation Results



ENVIRONMENTAL INFORMATION LOGISTICS. LLC

Investigation Cost Comparison

PSG Samplers, Analysis, Maps	\$7,500		
GeoProbe TM Subcontractor	\$6,000		
Oversight	\$3,000		
Reporting	\$3,000		
TOTAL =	\$20,000		
Drilling Subcontractor	\$18,000		
Oversight	\$3,000		
Well Development/Sampling	\$2,000		
Analytical	\$600		
Reporting	\$3,000		
Subtotal (Phase 1)	\$27,000		
Similarly Scoped Phase 2	\$27,000		
TOTAL =	\$54,000		



Summary and Conclusions

- Beacon PSG system was effective investigation tool.
- Reduced time and costs compared to traditional methods.
- State regulators were satisfied with results.



Thank You!

A. Michael Hirt, P.G. amhirteil@comcast.net (630) 699-5881



www.EILLLC.com